





















Magnetic HoldiCZW-K Series Magnetic Holding DC Contactor

















USES

This product realizes zero power connection when working. It is suitable for 5G、charging pile, telecommunication communication equipment, automation equipment, electric vehicle, energy-saving and environmental protection system, road traffic lighting system, programmable power supply and uninterrupted power supply equipment.

PRODUCT DETAIL LIST

(Total 18 kinds)

			<p>Product name: Magnetic Holding DC Contactor Product type: CZW50A-K Rated load current: 50A Contact form: 1 Circuit</p> <p style="text-align: right;">1</p>
			<p>Product name: Magnetic Holding DC Contactor Product type: SU1-80A-K Rated load current: 80A Contact form: 1 Circuit</p> <p style="text-align: right;">2</p>
			<p>Product name: Magnetic Holding DC Contactor Product type: HEV-K Contact form: 1 Circuit</p> <p style="text-align: right;">3</p>
			<p>Product name: Magnetic Holding DC Contactor Product type: CZW100A-K Rated load current: 100A Contact form: 1 Circuit</p> <p style="text-align: right;">4</p>
			<p>Product name: Magnetic Holding DC Contactor Product type: CZW200A-K Rated load current: 200A Contact form: 1 Circuit</p> <p style="text-align: right;">5</p>
			<p>Product name: Magnetic Holding DC Contactor Product type: CZW300A-K Rated load current: 300A Contact form: 1 Circuit</p> <p style="text-align: right;">6</p>
			<p>Product name: Magnetic Holding DC Contactor Product type: CZW400A-K Rated load current: 400A Contact form: 1 Circuit</p> <p style="text-align: right;">7</p>

		<p>Product name: Magnetic Holding DC Contactor Product type: CZW152A-K Rated load current: 150A Contact form: 1 Circuit</p> <p style="text-align: right; background-color: #0070C0; color: white; padding: 2px 10px; border-radius: 5px;">8</p>
		<p>Product name: Magnetic Holding DC Contactor Product type: CZW252A-K Rated load current: 250A Contact form: 1 Circuit</p> <p style="text-align: right; background-color: #0070C0; color: white; padding: 2px 10px; border-radius: 5px;">9</p>
		<p>Product name: Magnetic Holding DC Contactor Product type: CZW352A-K Rated load current: 350A Contact form: 1 Circuit</p> <p style="text-align: right; background-color: #0070C0; color: white; padding: 2px 10px; border-radius: 5px;">10</p>
		<p>Product name: Magnetic Holding DC Contactor Product type: CZW600A-K Rated load current: 600A Contact form: 1 Circuit</p> <p style="text-align: right; background-color: #0070C0; color: white; padding: 2px 10px; border-radius: 5px;">11</p>
		<p>Product name: Magnetic Holding DC Contactor Product type: CZW800A-K Rated load current: 800A Contact form: 1 Circuit</p> <p style="text-align: right; background-color: #0070C0; color: white; padding: 2px 10px; border-radius: 5px;">12</p>
		<p>Product name: Magnetic Holding DC Contactor Product type: CZW1600A-K Rated load current: 1600A Contact form: 1 Circuit</p> <p style="text-align: right; background-color: #0070C0; color: white; padding: 2px 10px; border-radius: 5px;">13</p>
		<p>Product name: Magnetic Holding DC Contactor Product type: CZW2000A-K Rated load current: 2000A Contact form: 1 Circuit</p> <p style="text-align: right; background-color: #0070C0; color: white; padding: 2px 10px; border-radius: 5px;">14</p>
		<p>Product name: Magnetic Holding DC Contactor Product type: CZW3000A-K Rated load current: 3000A Contact form: 1 Circuit</p> <p style="text-align: right; background-color: #0070C0; color: white; padding: 2px 10px; border-radius: 5px;">15</p>

		<p>Product name: Magnetic Holding DC Contactor Product type: CZWH1600A-K Rated load current: 1600A Contact form: 2 Circuit</p> <p style="text-align: right; background-color: #0070C0; color: white; padding: 2px 5px; border-radius: 3px;">16</p>
		<p>Product name: Magnetic Holding DC Contactor Product type: CZWH2000A-K Rated load current: 2000A Contact form: 2 Circuit</p> <p style="text-align: right; background-color: #0070C0; color: white; padding: 2px 5px; border-radius: 3px;">17</p>
		<p>Product name: Magnetic Holding DC Contactor Product type: CZWH3000A-K Rated load current: 3000A Contact form: 2 Circuit</p> <p style="text-align: right; background-color: #0070C0; color: white; padding: 2px 5px; border-radius: 3px;">18</p>

-- The end --